




SAF

BAYDEE[®]
UPVC PROFILES

SAF

EPDM GASKET

✉ safwindow@gmail.com



A STORY OF SAF BEIDI



Henan Beidi Plastic Industry Co., Ltd is headquartered in Xun County, Hebi City, and the branch is located in the industrial park of this county, where the transportation is convenient and the geographical position superior. Covering an area of 800,000 square meters, SAFBAYDEE Enterprise has more than 1200 staffs, and with production capacity 120,000 tons per year, SAFBAYDEE has been the largest professional production-oriented enterprises including PVC-U profiles R&D, Production and Sales in the central China.


SAFBAYDEE Enterprise has the advanced production lines and inspection equipment. Our raw materials adopt the international advanced Eco-friendly stabilizers, American DuPont titanium dioxide and Swiss CIBA UV convert agent. About the manufacture processing, we establish a long-term technical exchange and cooperate with Germany PVC-U experts. During the production process we strictly adhere to the window and door profile national standard GB/T8814-2017 and ISO9001 Quality Management System.

The SAFBAYDEE Enterprise's products consist of 60/65/70 casement series and 60/80/88/92/112 sliding series which are available in white, full color with wood film, double-color extrusion(ASA), full color, and aluminum-plastic composite series products. SAFBAYDEE Enterprise has passed the ISO9001 Quality Management System Certification and ISO14001 International Environmental Management System Certification in 2008. Since 2011 Beidi Enterprise keeps advertising on CCTV. So far the company has exported the products to many countries of the world, like India, Middle East, Africa, South America, North America and so on.


The Enterprise will continue to follow on the path of "development, innovation, practical solutions, hard work and dedication." SAFBAYDEE's business philosophy is one of "listening to the market demands, focusing on the customer, and using talent and integrity to support development". We will continue to utilize scientific management, full development, rational utilization of resources and continuously improve satisfaction of our customers' demand as the main goal of improving peoples' working and living environment.




The Section of 60-88-110 Sliding Series




NAME: 90 sliding frame
 CODE: 90TLK
 WEIGHT(KG/M): 1.34
 LENGTH: 5.8-6.0m




NAME: 60 double sliding frame A
 CODE: 60LGKA
 WEIGHT(KG/M): 1.098
 LENGTH: 5.8-6.0m




NAME: 112 sliding frame B
 CODE: 112KB
 WEIGHT(KG/M): 1.7
 LENGTH: 5.8-6.0m




NAME: 60 sliding door sash 3
 CODE: 60TLMS3
 WEIGHT(KG/M): 1.23
 LENGTH: 5.8-6.0m




NAME: 60 sliding door sash cover
 CODE: 60TLMSFG
 WEIGHT(KG/M): 0.217
 LENGTH: 5.8-6.0m




NAME: 88 sliding sash A2
 CODE: 88TLSA2
 WEIGHT(KG/M): 1.042
 LENGTH: 5.8-6.0m




NAME: 88 sliding sash D
 CODE: 88TLSD
 WEIGHT(KG/M): 0.84
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS: 2.0




NAME: 88 sliding sash cover
 CODE: 88FG
 WEIGHT(KG/M): 0.227
 LENGTH: 5.8-6.0m




NAME: 42 interlock
 CODE: 42GM
 WEIGHT(KG/M): 0.285
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS: 2.2



NAME: 42 sash mullion 2
 CODE: 42SZT2
 WEIGHT(KG/M): 0.84
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS: 2.2




NAME: 66 Screen door sash
 CODE: SSA3
 WEIGHT(KG/M): 0.635
 LENGTH: 5.8-6.0m




NAME: Screen sash A2
 CODE: 52SS2
 WEIGHT(KG/M): 0.492
 LENGTH: 5.8-6.0m


The Section of 60-88-110 Sliding Series



NAME: Screen sash mullion
 CODE: SSZT
 WEIGHT(KG/M): 0.345
 LENGTH: 5.8-6.0m
 PCS/BAG: 15
 THICKNESS: 1.4




NAME: 88 glazing bead A
 CODE: 88DYA
 WEIGHT(KG/M): 0.27
 LENGTH: 5.8-6.0m




Glass Thickness: 15 ± 0.5mm

NAME: 88 double glazing bead A
 CODE: 88SYA
 WEIGHT(KG/M): 0.18
 LENGTH: 5.8-6.0m
 PCS/BAG: 30
 THICKNESS: ②




Glass Thickness: 20 ± 0.5mm


NAME: 88 double glazing bead C
 CODE: 88SYC
 WEIGHT(KG/M): 0.15
 LENGTH: 5.8-6.0m
 PCS/BAG: 30
 THICKNESS: ②




NAME: 88 flat board 1
 CODE: 88PB1
 WEIGHT(KG/M): 0.25
 LENGTH: 5.8-6.0m
 PCS/BAG: 15
 THICKNESS: ③③①




NAME: 88 tube adaptor
 CODE: 88PG
 WEIGHT(KG/M): 0.735
 LENGTH: 5.8-6.0m
 PCS/BAG: 6
 THICKNESS: 1.8
 ③③③①①




NAME: 88 right angle bay corner adaptor
 CODE: 88ZJ
 WEIGHT(KG/M): 0.967
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 1.8
 ②




NAME: 60 frame D
 CODE: 60PKD
 WEIGHT(KG/M): 1.042
 LENGTH: 5.8-6.0m




NAME: 60 frame D
 CODE: 60PKD
 WEIGHT(KG/M): 1.042
 LENGTH: 5.8-6.0m



NAME: 60 small frame
 CODE: 60XX
 WEIGHT(KG/M): 0.88
 LENGTH: 5.9m
 PCS/BAG:
 THICKNESS: 2.2




NAME: 60 small frame
 CODE: 60XX
 WEIGHT(KG/M): 0.88
 LENGTH: 5.9m
 PCS/BAG:
 THICKNESS: 2.2




NAME: 60 mullion D
 CODE: 60ZTD
 WEIGHT(KG/M): 1.149
 LENGTH: 5.8-6.0m


The Section of 60-88-110 Sliding Series




NAME: 60 lap joint
 CODE: 60DFZT
 WEIGHT(KG/M): 1.035
 LENGTH: 5.8-6.0m
 PCS/BAG: 6
 THICKNESS: 2.5
 Ⓐ




NAME: 60 shift mullion
 CODE: 60ZHZT
 WEIGHT(KG/M): 1.22
 KG/PIECE: 7.32
 PCS/BAG: 6
 THICKNESS: 2.5
 Ⓐ Ⓐ Ⓐ



NAME: 60 out-swing door sash 2
 CODE: 60WKMS2
 WEIGHT(KG/M): 1.65
 LENGTH: 5.8-6.0m




NAME: 60 out-swing window sash 2
 CODE: 60WKCS2
 WEIGHT(KG/M): 1.21
 LENGTH: 5.8-6.0m




NAME: 30 glazing bead
 CODE: 30YX
 WEIGHT(KG/M): 0.25
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS: 1.6
 Ⓐ


Glass Thickness: 9.5 ± 0.5mm




NAME: 60 single glazing bead A
 CODE: 60DYA
 WEIGHT(KG/M): 0.317
 LENGTH: 5.8-6.0m




NAME: 60 round pipe
 CODE: 60YG
 WEIGHT(KG/M): 0.683
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 1.8
 Ⓐ




NAME: 60 any angle bay corner adaptor
 CODE: 60RYZJ
 WEIGHT(KG/M): 0.5
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS: 1.8
 Ⓐ




NAME: 60 bay corner adaptor 1
 CODE: 60ZJ1
 WEIGHT(KG/M): 0.71
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 1.8
 Ⓐ



NAME: 60 bay corner adaptor 2
 CODE: 60ZJ2
 WEIGHT(KG/M): 0.71
 LENGTH: 5.8-6.0m




NAME: Shutter glazing bead
 CODE: BYCZYTT
 WEIGHT(KG/M): 0.26
 LENGTH: 5.8-6.0m




NAME: Shutter glazing bead
 CODE: BYCZYTT
 WEIGHT(KG/M): 0.26
 LENGTH: 5.8-6.0m


The Section of 60-88-110 Sliding Series




NAME: Blind louver
 CODE: BYCLP
 WEIGHT(KG/M): 0.217
 LENGTH: 5.8-6.0m




NAME: 60 double sliding frame A
 CODE: 60LGKA
 WEIGHT(KG/M): 1.017
 LENGTH: 5.8-6.0m
 PCS/BAG: 6
 THICKNESS: 2.2
Ⓐ




NAME: 30 grill outlay
 CODE: 30WZZST
 WEIGHT(KG/M): 0.15
 LENGTH: 5.8-6.0m
 PCS/BAG: 30
 THICKNESS:
Ⓐ




NAME: 15 grill
 CODE: 15ZST
 WEIGHT(KG/M): 0.09
 LENGTH: 5.8-6.0m
 PCS/BAG: 30
 THICKNESS:
Ⓐ




NAME: 150 door panel 2
 CODE: 150MB2
 WEIGHT(KG/M): 0.884
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.4
Ⓐ




NAME: 38 square pipe
 CODE: 38FG
 WEIGHT(KG/M): 0.4
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS:
Ⓐ




NAME: 38 square pipe
 CODE: 38FG
 WEIGHT(KG/M): 0.4
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS:
Ⓐ




NAME: 38 blind louver
 CODE: 38BYP
 WEIGHT(KG/M): 0.15
 LENGTH: 5.8-6.0m
 PCS/BAG: 30
 THICKNESS:
Ⓐ




NAME: 88-60 flat board
 CODE: 88Z60PB
 WEIGHT(KG/M): 0.25
 LENGTH: 5.8-6.0m
 PCS/BAG: 15
 THICKNESS:
Ⓐ



NAME: 80-60 flat board
 CODE: 80Z60PB
 WEIGHT(KG/M): 0.25
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:
Ⓐ



NAME: Casement mesh screen
 CODE: PKSS
 WEIGHT(KG/M): 0.534
 KG/PIECE: 3.204
 PCS/BAG: 10
 THICKNESS:



NAME: Casement fix screen sash
 CODE: PKGDSS
 WEIGHT(KG/M): 0.27
 KG/PIECE: 1.6
 PCS/BAG: 20
 THICKNESS: 1.8

GASKETS

Anti UV All Weather UPVC Profiles SAF BAYDEE Profiles

K



D



Minus



O





SAF
BAYDEE[®]
UPVC PROFILES

SAF
EPDM GASKET



SAF Window Systems

Profile, Hardwares & Accessories

📍 Plot No.39, Premier Avenue,
Keelpadappai - 601301.

✉️ safwindow@gmail.com

📞 91505 70800

